

FOREST[®]

DRAPERY HARDWARE




GS[®]
Contract System

Product information

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for Forest Easyfold Systems and accordiafold drapery systems.
- Maximum fabric weight: 15 kg. per mtr (11,25 LBS per ft).
- Colours available: white, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16 '), 6.10 m (20 '.)



Applications



For use in

Hotels - Motels - offices - schools - healthcare residential or at any location where a heavy duty hand drawn system is required.



- ① CS Track
- ② Carrier
- ③ Master Carrier R/L Overlap
- ④ Master Carrier R/L Underlap
- ⑤ Carrier
- ⑥ Endcap with screw



Bending/curving

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving is also possible with the electrical bending tool.



Mounting Brackets

Smart Klick Ceiling bracket



Clickable carrier




Easy installation
click - position - tighten

Mounting Brackets

Aluminium Wall Bracket single

A) 7,5 cm (3"): B) 6,3 cm (2,5")


A) 10 cm (4"): B) 8,8 cm (3,5")



Aluminium Wall Bracket double


A) 15 cm (6"): B) 9,2 cm (3,6"), C) 4,5 cm (1,8")

A) 20 cm (8"): B) 9,2 cm (3,6"), C) 9,5 cm (3,7")



Aluminium Wall Bracket triple

25 cm (10")




Other brackets are available. Brackets need to be placed every 60 cm (24").

Colours available from stock:

Complete the art.nr. with the indicated colour-code

01 White, 03 Silver, 05 Brown, 06 Black


Other colours can be delivered on request.

**CS Track**

Extruded aluminium chromated, powder coating, factory lubricated. Available lengths 3.66 m. (12'), 4.27 m. (14'), 4.88 m. (16'), 6.10 m. (20').

25010.. ...cm
10/bundle**Carrier**

"Klickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Colours: 01, 02, 03, 05, 06.

25101...000
250/box**CS Stop Carrier**Clickable.
Colours: 01, 03.25102...000
100/box**CS Carrier with Hook**Clickable.
Colours: 01.25105...000
100/box**Economy Slide**Can turn in the track.
Colours: 01.2510601000
500/box**Ball Bearing Carrier**25 mm White
20 mm White
20 mm Black
16 mm White
16 mm Black100/box
2512100000
2512000000
2512006000
2512000016
2512006016**Master Carrier R/L**Underlap right or left.
Suitable for heavy drapes.
Colours: 01.2514600000
25/box**Master Carrier R/L**Overlap right or left.
Suitable for heavy drapes.
Colours: 01.2514700000
25/box**CS/CCS/FMS Track Joiner**

Used to make a solid connection between two pieces of track.

25184..000
10/box

Colours 01, 05, 06

**Endcap with screw**

Colours: 01, 03, 05.

2516400000
100/box




Baton Fiberglass White 1065101 ...
92 cm (36"), 122 cm (48"), 152 cm (60"). 100/box

Baton Transparent
92 cm (36"), 122 cm (48"), 152 cm (60"). 1065102...
50/box




Contract Bending Tool 2560000000
For CS/CCS/FMS/CRS/MTS 1/each

CS/CCS/FMS Bending Wheel 2561000000
1/each




Smart Klick Ceiling Bracket 100/box
"Klicks" onto track, powder coated. 10182..000
Colours: 01, 03, 05, 06.

Inclusive Covercap 1018201001



CS Bending Strips 8500000001
For CS track, length: 90 cm (35,4") 1/set


For CS electric powered bender. 5160600000
Length 7 meter (23'). 1/set



Covercap for Smart Klick Ceiling Bracket 10192..000
100/box
Fits on Smart Klick Wall and Ceiling bracket.
Colours: 01, 03, 05, 06.



Bending Stand 2560800000
Stand for contract bending tool 1/each



Smart Klick Double Ceiling Bracket Large 1018601000
30/box
Distance between two tracks: 90 mm (3,5")


Smart Klick Double Ceiling Bracket Short 1018611000
30/box
Distance between two tracks: 45 mm (1,8")



Electric Powered Bender 1060500000
1/box
Available in 230V or 115V, to create continuous curves and arches.
Minimum radius 50 cm (20").



False Ceiling Bracket (metal) 100/box
4519001000
For installation on to a suspended ceiling. The track can be fixed in any angle.



Bending Wheels 2560700000
1/set
For Electric Powered Bender.
Complete set of 3 wheels.




FSS Mousing Bracket 100/box
7160001000
For concealed installation or ceiling installation in narrow spaces.
Heavy Duty.




Electric Powered Railcutter 1061100000
230 Volt EU 1/each

Replacement Blade 1061200000
For electric powered railcutter. 1/each




Adjustable Wall Bracket 10208..115
100/box
Smart Klick, adjustable single from 7,5 cm (3") to 11,5 cm (4.5")



Double from 6,5 cm (2,5") to 10 cm (4") - 15 cm (6") 10208..195
50/box
Colours: 01.

Distributor:



Aluminium Wall Bracket 10203.. ... mm
Smart klick, powder coated.

7,5 cm single (3")	20/box
10 cm single (4")	20/box
15 cm double (6")	15/box
20 cm double (8")	15/box
25 cm triple (10")	10/box

Colours: 01, 03.

FOREST[®]
DRAPERY HARDWARE

Download
Forest brochures

