



Round and fluent shapes
in decorative interiors

FITS
ON ALL
FOREST
TRACKS

FOREST EASYFOLD SYSTEM

Easysnap
tape application
on KS rail

Easyflex
tape application on DS rail

Give a
modern
and **special**
folding
design to
your
curtains.

INTRODUCTION


THE FOREST EASYFOLD SYSTEM® IS AN ADDITIONAL FEATURE OF THE DRAPERY HARDWARE SYSTEMS OF FOREST GROUP. IT COMPLIES FULLY WITH THE CONTEMPORARY DEMAND FOR ROUND AND FLUENT SHAPES IN DECORATIVE INTERIORS.

IT OFFERS NEW POSSIBILITIES FOR APPLICATIONS IN LARGE AND HIGH SPACES, SUCH AS LOBBIES, ENTREES, RECEPTION AREAS, CONFERENCE ROOMS, AUDITORIUMS, MEETING ROOMS, FOOD AND BEVERAGE OUTLETS ETC.

THE SYSTEM CAN BE INSTALLED ONTO ALL FOREST MANUAL, CORDED AND MOTORIZED TRACKS AND CURTAIN ROD SYSTEMS AND GIVES A MODERN AND SPECIAL FOLDING DESIGN TO THE CURTAIN.

SUCH A MODERN CURTAIN HEADING SYSTEM COMBINED WITH A SUITABLE FABRIC IS GUARANTEED TO BE A REAL EYE-CATCHER IN EVERY ROOM.






The system is designed so that the curtains **maintain their folding effect** from the moment they are dressed



WHAT MAKES THE FOREST EASYFOLD SYSTEM SO UNIQUE?

- » The smooth folding effect is always maintained whether the curtains are open or closed.
- » The system is designed so that the curtains maintain their folding effect from the moment they are dressed.
- » The simple, yet stylish design makes the curtains easier to make up.
- » The Easyfold heading stacks back neatly, taking up less space than traditional pleated headings.
- » The glider-cord is not visible when the curtain is fully closed.
- » Easy to take down and re-hang thanks to its detachable carrier-base.
- » Depending on the fullness selected the Easyfold system can be more economical than more traditional curtains. (up to 33% compared to a regular pencil pleat curtain)
- » Can also be used in horizontally-curved tracks. Examples of how Forest tracks can be bent in different situations:




HOW DOES THE FOREST EASYFOLD SYSTEM WORK?

- » The system is available in two types; **Easysnap with metal snaps** already fixed on the heading tape at a fixed distance, in combination with double sided Easysnap carriers; **Easyflex with pockets on the heading tape**, allowing for a flexible positioning of the hooks, in combination with Easyflex carriers.
- » Specially designed interconnected-gliders are contained within the curtain track.
- » This connection cord limits the extension of the curtain fabric, creating a smooth and continuous folding effect. When opened, the system enables the curtains to stack back neatly and straight.
- » Depending on the fabric type, a regular iron-on hem tape can be used with the Easyfold Tape at the top of the curtain to maintain a smooth appearance.
- » Transparent Easyflex tape with pockets allows for completely variable folds and any fullness desired, from 150% to 350%!
- » Easysnap Tape available in: white, black and transparent, in 10 cm and 15 cm spacing. Fullness options 180%, 200%, 270% and 300%.
- » Both Easysnap and Easyflex can be applied on most Forest curtain track systems.

EASYFOLD CARRIER AND TAPE REQUIREMENTS

| | 1 meter | 2 meter | 3 meter | 4 meter | 5 meter | 6 meter | 7 meter |
|---|-------------|-------------|-------------|-------------|-------------|--------------|--------------|
| | Qty | Qty | Qty | Qty | Qty | Qty | Qty |
| 60% EASYSNAP / EASYFLEX CARRIERS 60%, CARRIER DISTANCE 8,0 CM | 16 carriers | 28 carriers | 40 carriers | 52 carriers | 66 carriers | 78 carriers | 90 carriers |
| EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE | 160 cm | 280 cm | 400 cm | 520 cm | 660 cm | 780 cm | 900 cm |
| EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE | 240 cm | 420 cm | 600 cm | 780 cm | 990 cm | 1170 cm | 1350 cm |
| EASYFLEX TAPE 20 CM WAVE DEPTH | 320 cm | 560 cm | 800 cm | 1040 cm | 1320 cm | 1560 cm | 1800 cm |
| CURTAIN STACKING IN OPEN POSITION | 23 cm | 40 cm | 56 cm | 74 cm | 93 cm | 110 cm | 127 cm |
| 80% EASYSNAP / EASYFLEX CARRIERS 80%, CARRIER DISTANCE 6,0 CM | 20 carriers | 36 carriers | 52 carriers | 70 carriers | 86 carriers | 102 carriers | 120 carriers |
| EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE | 200 cm | 360 cm | 520 cm | 700 cm | 860 cm | 1020 cm | 1200 cm |
| EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE | 300 cm | 540 cm | 780 cm | 1050 cm | 1290 cm | 1530 cm | 1800 cm |
| EASYFLEX TAPE 20 CM WAVE DEPTH | 400 cm | 720 cm | 1040 cm | 1400 cm | 1720 cm | 2040 cm | 2400 cm |
| CURTAIN STACKING IN OPEN POSITION | 26 cm | 51 cm | 75 cm | 100 cm | 122 cm | 144 cm | 168 cm |
| 100% EASYSNAP / EASYFLEX CARRIERS 100%, CARRIER DISTANCE 5,4 CM | 22 carriers | 40 carriers | 58 carriers | 78 carriers | 96 carriers | 114 carriers | 132 carriers |
| EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE | 220 cm | 400 cm | 580 cm | 780 cm | 960 cm | 1140 cm | 1320 cm |
| EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE | 330 cm | 600 cm | 870 cm | 1170 cm | 1440 cm | 1710 cm | 1980 cm |
| EASYFLEX TAPE 20 CM WAVE DEPTH | 440 cm | 800 cm | 1160 cm | 1560 cm | 1920 cm | 2280 cm | 2640 cm |
| CURTAIN STACKING IN OPEN POSITION | 30 cm | 57 cm | 82 cm | 110 cm | 136 cm | 162 cm | 186 cm |



60% = 8,0 cm carrier distance
80% = 6,0 cm carrier distance
100% = 5,4 cm carrier distance



Wave depth 10,75 cm or 15,75 cm with Easysnap tape and carriers. Ceiling space required 10,75 cm or 15,75.

Wave depth fully variable with Easyflex tape and carriers. Ceiling space required is equal to the spacing between the hook placement in the Easyflex tape.

WORKROOM INSTRUCTIONS

Forest Group understands that many workrooms will have their own method of manufacturing curtains. This guide is intended to give you a suggested make up method so you get the best from the Forest Group Easyfold system. When using your own fabrics we suggest that sample curtains are made to determine whether;

1. It is suitable for use with Easyfold, and,
2. If so, which size of Fold is most appropriate.
3. How many Easyfold carriers are exactly required to make up a particular size track.

In general, stiffer fabrics tend not to lend themselves well to Easyfold since they struggle to hold the soft curves for the drop of the curtain.

Once you have confirmed your fabric is suitable you may want to consider using lead weight tape and curtain side weights for an improved finished appearance. The maximum weight that the standard Easysnap and Easyflex tape can carry is 10 kg per meter of track. However, individual track weight restrictions still apply. Easysnap Roller and Easyflex Roller have much higher weight limitations, consult the catalogue to see individual system weight graphs. This guide is based on using the recommended Easyfold component parts detailed on the next page.

FOREST EASYFLEX SYSTEM

The Easyflex system works with a 7,7 cm high transparent tape with pockets, one roll of 100 meters has 100 pockets. In the pockets you can fit the Easyflex hooks, which are the lower part of the Easyflex carriers. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. Easyflex endhooks are used to connect the curtain to the master carriers. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.


FOREST EASYSNAP SYSTEM

The Easysnap system works with a range of snap tapes, in white, black or transparent versions. The stainless steel snaps are placed at fixed distances in the tape, with a distance from center to center of 10,75 or 15,75 cm. The carriers are available in 80% (6,0 cm) and 100 % (5,4 cm) width. The snaptool can be used to add snaps to the tape wherever required, for increased stability to the curtain when fixing it on an overlap arm or return pulley. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.




COMPONENTS REQUIRED FOR EASYSNAP APPLICATION:


REGULAR SPACING, 10,75 CM, 850 SNAPS ON A ROLL

| | | |
|--|-------------------------------------|--------------------------------|
|  | FES tape normal white | 4810900000 91,44 mtr / roll |
| | FES tape heavy-duty white | 4810900010 91,44 mtr / roll |
| | FES tape normal black | 4810800000 91,44 mtr / roll |
| | FES tape transparent | 4810700000 91,44 mtr / roll |


EXTRALARGE SPACING, 15,75 CM, 580 SNAPS ON A ROLL


| | | |
|--|--|--------------------------------|
|  | FES tape heavy-duty white XL | 4810900015 91,44 mtr / roll |
| | FES tape transparent XL | 4810700015 91,44 mtr / roll |

| | | |
|--|-------------------------------|------------------------------|
|  | FES base 60% white | 4812001060 500 pcs / roll |
| | FES base 80% white | 48120..080 500 pcs / roll |
| | FES base 100% white | 48120..100 500 pcs / roll |
| Colours: 01 white, 06 black | | |

| | | |
|--|---|-----------------------------|
|  | FES EasySnap 2 sided carrier white | 4812001000 500 pcs / box |
| | FES EasySnap 2 sided carrier black | 4812006000 500 pcs / box |

| | | |
|--|--|--|
|  | Easysnap CS/CCS/FMS mastercarrier overlap R/L | |
|--|--|--|


| | | |
|--|---|----------------------------|
|  | Easysnap CS/CCS/FMS mastercarrier underlap R/L | 4815301090 15 pcs / box |
|--|---|----------------------------|


| | | |
|--|--|----------------------------|
|  | Easysnap mastercarrier 90° left | 4815401090 15 pcs / box |
|--|--|----------------------------|


| | | |
|--|---|--|
|  | Easysnap mastercarrier 90° right | |
|--|---|--|

| | | |
|---|---|----------------------------|
|  | Easysnap insert with snap for CCS pulley | 4822501000 25 pcs / box |
|---|---|----------------------------|

| | | |
|---|---|----------------------------|
|  | Easysnap insert with snap for CKS pulley | 4822601000 25 pcs / box |
|---|---|----------------------------|

| | | |
|---|-----------------------------------|---------------------|
|  | FMS motor pulley with snap | 5103011002 piece |
|---|-----------------------------------|---------------------|

| | | |
|---|------------------------------------|---------------------|
|  | FMS return pulley with snap | 5103011101 piece |
|---|------------------------------------|---------------------|

| | | |
|--|--|-------------------------------|
|  | Easyfold metal male snaps | 4810900001 1.000 pcs / box |
| | Easyfold metal female snaps | 4810900002 1.000 pcs / box |
| | Easyfold metal rivat back for male/female snaps | 4810900003 1.000 pcs / box |

| | | |
|---|--------------------------------------|---------------------|
|  | Easyfold snaptool with moulds | 4870900000 piece |
|---|--------------------------------------|---------------------|

| | | |
|---|---|--------------|
|  | Easyfold plastic master straight overlap | 25 pcs / box |
| | white | 4815101010 |
| | transparent | 4815101000 |
| | silver | 4815203010 |
| | black | 4815206010 |

| | | |
|---|---|--------------|
|  | Easyfold plastic master underlap | 25 pcs / box |
| | white | 4815201010 |
| | transparent | 4815201000 |
| | silver | 4815103010 |
| | black | 4815106010 |










Unless indicated otherwise, all other regular track components can be used for the Forest Easyfold System

COMPONENTS REQUIRED FOR EASYFLEX APPLICATION:

| | | |
|---|---|---|
|  | Easyflex tape 77 mm | 4810700016 100 mtr / roll |
|  | FES base 60% white | 4812001060 500 pcs / roll |
| | FES base 80% white | 48120..080 500 pcs / roll |
| | FES base 100% white | 48120..100 500 pcs / roll |
| | Colours: 01 white, 06 black | |
|  | Easyflex roller 60% incl flexhook (8,0 cm) | 4812701260 500 pcs / roll |
| | Easyflex roller 80% incl flexhook (6,03 cm) | 4812701280 500 pcs / roll |
| | Easyflex roller 100% incl flexhook (5,4 cm) | 4812701300 500 pcs / roll |
| | * Easyflex Roller can only be used in CS and CRS 28 mm tracks | |
|  | Easyflex hook white black | 500 pcs / box 4812801000 4512806000 |
|  | Easyflex hook nylon transparent, for usage on mastercarrier and pulley | 4812801010 1.000 pcs / box |
|  | Easyflex mastercarrier 90° left | 4815351090 15 pcs / box |
|  | Easyflex mastercarrier 90° right | 4815451090 15 pcs / box |
|  | Easyflex mastercarrier FMS Plus For usage with Forest Plus track in combination with Easyflex | 51395901010 |
|  | FES pendant for curtain hook white For usage in combination with FES system and curtain hooks | 4812001001 500 pcs / box |

DS-XL TRACK SYSTEM

ESPECIALLY DESIGNED FOR EASYFOLD APPLICATION:

| | | |
|--|--|---|
|  | DS-XL Track 6 meter (19'8") white silver black | 24 mtr / bundle 3916101600 3916103600 3916106600 |
|  | DS-XL Klick ceiling bracket | 3918301000 100 pcs / box |
|  | PS/DS-XL Ceiling bracket swivel | 3818200230 100 pcs / box |
|  | DS-XL End cap white silver black | 20 pcs / box 3916101000 3916103000 3916106000 |
|  | DS-XL End cap corded white silver black | 10 pair / box 3916201000 3916203000 3916206000 |
|  | Easyflex Plastic overlap L/R 90° Fits on all Forest Curtain Tracks white black | 25 pcs / box 3916701000 3916706000 |
|  | DS-XL Endstop with screw | 3916001000 100 pcs / box |
|  | Cord 3mm on roll white | 3830401000 200 mtr / roll |
|  | CKS/DS-XL Cord connector | 1530301000 100 pcs / box |

EXPERIENCE AND QUALITY

The introduction of the world's first clickable curtain track system KS® Klick System and the Smart Klick® technology was the starting point for Forest Group to become one of the world's most reputable manufacturers of high end window treatment solutions. Over 25 years later Forest Group curtain track systems still represent the industry's standard due to ongoing innovation and constant focus on the highest quality.

WARRANTY

Whether sophisticated electric curtain systems, decorative channel rod systems or plain tracks, the combination of high end materials and precise manufacturing make it possible for Forest Group to provide a 10 year warranty.



HEADQUARTERS

Forest Group (Nederland) BV
The Netherlands
+31 (0) 570 622850
www.forestgroup.nl
info@forestgroup.nl

FOREST
— DRAPERY HARDWARE —